

EARLY WINTER BUY

ZENITH[®]
Safety Products

AURORA
TOOLS

RMP
PRODUITS D'ENTRETIEN - MAINTENANCE PRODUCTS

KLETON

MATRIX[®]
INDUSTRIAL PRODUCTS



SGFS **COMMERCIAL
SUPPLIES**

Janitorial Equipment & Supplies



SNOW FLAG

- 9"x 12" triangle-shaped flag with 6' fiberglass pole
- Mark fire hydrants, valves, trails, or other landmarks in snow-prone areas
- Flags are made of high-visibility, red vinyl fabric able to withstand low temperatures
- Flag Pole Diameter: 1/2"
- Height: 6'



Model No. SGG309

SNOW FENCE

- Provides an economical, easy and reliable protection barrier
- Lightweight, reusable and durable for easy handling
- Made of strong high density polyethylene with high tear resistance
- Roll Width: 4'



Model No.	Roll Length'	Weight
SNOW FENCE		
SHB329	50	4 lbs
HEAVY-DUTY SNOW FENCE		
SHQ267	50	9.5 lbs
SHC245	100	19 lbs

BOOT TRAYS

- Keeps dirt and moisture off floors
- Durable plastic construction with a raised edge to corral melting snow, mud or salt
- Great for entryways, garages or closets



Model No.	Dimensions			Thickness"
	L"	x	W"	
SGH285	25	x	14	0.6
SGU858	19	x	39	1.18

MATTING

- Durable rubbermat resists harsh weather conditions
- Easy to clean
- Adds traction to any entrance

OUTDOOR ENTRANCE MATTING

Model No.	Dimensions		
	W'	x	L'
SFQ527	2	x	2-2/3
SFQ528	2-2/3	x	3-1/4
SFQ529	2-1/3	x	3-5/6
SFQ530	3	x	5
SFQ531	3	x	6

Traffic: Heavy Duty

Thickness 1/2"

LOW PROFILE MATTING

Model No.	Description
SDL871	Solid
SDL872	Slotted

Traffic: Medium-Heavy

Thickness 5/16"

INDOOR ENTRANCE MATTING

Model No.	Dimensions		
	W'	x	L'
WIDE-RIBBED			
SGG088	3	x	75
FINE RIBBED			
SDL875	2	x	75
SDL876	3	x	75
SDL877	4	x	75

Traffic: Light-Medium

Thickness 1/8"

BOOT SCRAPER

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Rubber fingers brush the sides and bottom of boots
- Portable or can be made fixed (mounting hardware not included)
- Easy to clean
- Overall Length: 12"



Model No. SFQ526

SFQ527

SDL871


SDL872

SGG088

SDL875

POLY SNOW PUSHERS

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip
- Blade Material: Polypropylene



Model No.	Wearstrip	Blade Dim. W" x H"	Overall Length"
NM812	Included	21-1/4 x 9-1/4	50-1/2
NM811	Not Included	24-1/2 x 10-3/4	54-1/2

POLY SNOW SHOVELS

- Blade Material: Polypropylene
- Handle Material: Steel
- Handle Type: D-Grip



Model No.	Wearstrip	Blade Dim. W" x H"	Overall Length"
NM809	Included	19-3/4 x 13-1/8	50 - 3/4
NM810	Not Included	19-3/4 x 13	51-3/8

SNOW ROOF RAKE

- Ideal for removing any kind of debris from roofs
- Prevents roof damage by removing ice dams & heavy snow
- Lightweight handle extends to 16'
- Blade Material: Polypropylene
- Blade Width: 24-3/4"
- Blade Height: 6"
- Handle Material: Aluminum
- Handle Length: 61"
- Handle Type: Straight



Model No. NN009

SNOW BRUSH WITH ABS SCRAPER

- Stiff poly/plastic brush quickly clears snow while the durable scraper cuts through stubborn ice with precision
- Tough ABS scraper takes on icy buildup so you can get going without the struggle
- Smooth, sturdy grip ensures control and comfort, even in harsh weather
- Overall Length: 25"

NEW



Model No. NAA608

SNOW BRUSHES

- Aluminum handle with comfortable EVA foam grip
- Blade Type: Polypropylene
- Scraper Width: 4-1/4"

NM980:

Telescopic handle has extended length of 32-1/2" and collapsed length of 23-1/2"

NN434:

- Extends from 33" to 48"
- Rotating head with plastic bristles
- Handle Material: Plastic



Model No.	Description	Head Width"	Overall Length"
NM979	Non Telescopic	8-3/4	34
NM980	Telescopic	9-3/4	32-1/2
NN434	Telescopic	12-3/4	48

ALL WEATHER TPE-RUBBER EXTENSION CORDS

- Designed for industrial and contractor use • All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-conductor SJEOW, 300 V grounding



XC500

Model No.	Length'	Gauge (AWG)	No. of Outlets	Amps	Wattage
HEAVY-DUTY					
XC500	25	14/3	1	15	1875
XC501	50	14/3	1	15	1875
XC502	100	14/3	1	13	1625
EXTRA HEAVY-DUTY					
XE503		12/3	1	15	1875
XE504		12/3	1	15	1875
XE505		12/3	1	15	1875
HEAVY-DUTY					
XH235	25	14/3	3	15	1875
XH236	50	14/3	3	15	1875
XH237	100	14/3	3	13	1625
EXTRA HEAVY-DUTY					
XH238	25	12/3	3	15	1875
XH239	50	12/3	3	15	1875
XH240	100	12/3	3	15	1875

BROADCAST SPREADERS

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- Spread Width: 10-12'
- **Includes:** Raincover, screen



N J14 2



N N13 7

Model No.	Load Capacity lbs.	Coverage sq. ft
NN137	50	11 000
NJ142	100	22 000

BOOSTER CABLES

- Clamp design fits on both top-post and side-post batteries
- Cable remains flexible in temperatures as low as -40°C
- Tangle-free
- Surge suppressor on 2, 4 and 6 gauge cables protect a vehicles computer system from power surges during boosting



XE494



XE496

Model No.	Colour	Wire Gauge	Amps	Cable Length'
XE494	Yellow	8 AWG	150	10
XE495	Red/Black	6 AWG	400	16
XE496	Red/Black	4 AWG	400	20
XE497	Red/Black	2 AWG	400	20

BROADCAST SPREADERS WITH STAINLESS STEEL HARDWARE

- Metal gear inside of the gear box
- Stainless steel hardware in the hopper and pivot shaft
- Metal control handle
- Rate setting control on handle for precise adjustments
- Easy three-step assembly
- Spread Width: 10-12'
- **Includes:** Raincover, screen



N N13 8



N N13 9

Model No.	Load Capacity lbs.	Coverage sq. ft	Pneumatic Tire Size"
NN138	70	15 000	10
NN139	125	27 000	14

ICE CHOCKS

- Formed steel
- "Tooth" like bottom assures reliable grip
- Lightweight and dependable
- Width: 8-1/16"
- Depth: 10-5/8"
- Height: 8-13/16"



Model No. KI331
Max. Tire Diameter: 20"



Model No. KI333
34"H handle
Max. Tire Diameter: 33"

INSULATED TARPS

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- UV resistant
- Dimensions: 20' x 12'
- Thickness: 8 mils
- Material: Polyethylene
- R Value: 2



Model No. NAA081



Model No. NAA390

SALT & SAND CONTAINERS

- Waterproof and lockable which makes it ideal for many other outdoor storage uses aside from storing loose or bagged salt, sand, or ice melter
- It can also hold garden supplies, sporting goods, pool supplies, tools, garbage/recyclables, or anything else you want to safely store
- Constructed of rugged BPA-free UV-resistant polyethylene
- Built-in pockets for forklifts allow the bins to be moved without emptying them
- Capacity: 4.24 cu. ft.
- 21" L x 27" W x 26" H

Model No.	Colour
NO614	Yellow
NO615	Grey



NO614

NO615

HEAVY-DUTY OUTDOOR SALT AND SAND STORAGE CONTAINERS

- Thick-walled, durable polyethylene construction
- Double-walled reinforced lid
- Molded forklift channels and recessed hand holes

Model No.	Colour	Capacity
30"LX24"WX24" H		
ND337	Yellow	5.5 cu. Ft.
ND202	Grey	5.5 cu. Ft.
48"LX24"WX24" H		
NM947	Yellow	10 cu. Ft.
NM948	Grey	10 cu. Ft.



ND337



NM947



NM948



ND202

POLYETHYLENE SALT & SAND SCOOPS

- Ideal for farm/feed, restaurant, salt and sand, compost/garden, industry



PE095

Model No.	Capacity	Colour
PE095	1 gal.	Yellow
JK232	2L	Yellow



JK232

PERSONAL METAL SHOP HEATER WITH THERMOSTAT

- Features 3 settings for fan-only, high heat, and low heat
- Automatic overheat protection
- Durable sturdy steel cabinet
- Easy carry handle
- Type: Fan
- Power Source: Electric
- Certifications: cETL
- Power: 750 W & 1500 W
- Voltage: 120 V
- Heat Coverage: 800-1000 sq.ft.
- Power Cord Length: 6'
- Plug Type: Standard



Model No. EB479

360 DEGREE SURROUND PORTABLE HEATER

- Features 360 degree outlet air, PTC heating elements, adjustable thermostat, tip-over switch, overheat protection, and carry handle
- Features 2 heat settings (750 W & 1500 W) and a fan-only setting
- Type: Ceramic
- Power Source: Electric
- Max BTU Rating: 5200 BTU/H
- Power: 750 W & 1500 W
- Voltage: 120 V
- Amperage: 12.5 A
- Power Cord Length: 6'
- Plug Type: Standard



Model No. EB480

PORTABLE FAN-FORCED CONVECTION HEATER

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Wide-angle oscillation
- Tip over safety switch and thermal limit control
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 6.25 A/12.5 A
- Power Source: Electric



Model No. EA597

PORTABLE FAN / RADIANT FORCED UTILITY HEATER

- Three heat settings provide full comfort and efficient operation
- 600 W radiant
- 900 W fan forced
- 1500 W fan forced and radiant
- Chrome-plated safety grill
- Automatic built-in thermostat
- Ceramic core element
- Tip over safety switch and thermal limit
- Min. BTU Rating: 2048 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 5 A/12.5 A



Model No. EA466

PORTABLE OPEN COIL HEATER

- Two heat settings (1500 W and 1000 W)
- Provides full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top mounted handle and controls
- Grounded plug and controls
- Type: Radiant Heat
- Min. BTU Rating: 3410 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 8.3 A/12.5 A



Model No. EA469

PORTABLE HEATER

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 6.25 A/12.5 A



Model No. EA599

PORTABLE HEATER

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min. BTU Rating: 2557 BTU/H
- Max. BTU Rating: 5115 BTU/H
- Power Source: Electric



Model No. EB182

PORTABLE CERAMIC HEATER

- Two heat settings (1500 W and 900 W) provide full comfort and efficient operation
- Adjustable thermostat
- Big carry handle
- Adjustable vertical tilt angle
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Voltage: 120 V
- Power Source: Electric



Model No. EA650

OSCILLATING HEATER

- Built-in over heating protection, tip over switch, and power indicator light
- Adjustable thermostat
- 2 heat settings (750 W and 1500 W) provide maximum comfort
- Includes fan-only setting
- Type: Ceramic
- Power Source: Electric
- Min BTU Rating: 2600 BTU/H
- Max BTU Rating: 5200 BTU/H
- Voltage: 120 V
- Power Cord Length: 6'
- Dimensions: 6.7" W x 5" D x 9.6" H



Model No. EB467

OSCILLATING TOWER HEATER

- Built-in over heating protection, tip over switch and power indicator light
- Adjustable thermostat and equipped with an oscillation feature
- 2 heat settings (750 W and 1500 W) provide maximum comfort
- Includes fan only setting
- Type: Ceramic
- Power Source: Electric
- Voltage: 120 V
- Power Cord Length: 6'
- Min. BTU Rating: 2550 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Dimensions: 7.4" W x 6.9" D x 18.5" H



Model No. EB020

PORTABLE INFRARED HEATER

- Provides instant sun-like heat that directly warms objects
- Adjustable thermostat
- Cool touch flame-resistant plastic housing
- Overheat and tip over shut-off
- Type: Radiant Heat
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 12.5 A
- Voltage: 120 V
- Wattage: 750 W/1500 W
- Overall Dim.: 13" W x 9.3" D x 23" H



Model No. EB184

PORTABLE FAN-FORCED UTILITY HEATER

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards
- Overheating protection
- Min. BTU Rating: 4435 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 10.8 A/12.5 A



Model No. EA598

PATIO HEATER

- High efficiency heating
- IP65 rated for outdoor use
- Remote and pull-string control
- Two LED lights
- 3 heat settings (500 W/1000 W/1500 W)
- Type: Wall mounted
- Min. BTU Rating: 1705 BTU/H
- Max. BTU Rating: 5115 BTU/H
- Wattage: 1500 W



Model No. EB307

FAN FORCED CONTRACTOR HEATERS

- Built-in thermostat
- Safety high temperature limit
- Built-in handle/cord storage
- Permanently lubricated motor
- 6' heavy-duty cord
- Steel spiral fan brazed to metal sheath elements for maximum heat transfer
- Voltage: 240 V
- Plug Type: #6-30P



Model No.	Motor Type	BTU/H Rating	Amperage	Wattage
EA477	Open	19 100	23.34 A	5600
EB100	Closed	16 380	20 A	4800

HEAVY-DUTY CEILING MOUNT HEATER

- Built-in ceiling bracket for easy mounting
- Adjustable airflow direction
- Rugged heavy-duty industrial heater
- Ideal for use in storage rooms, workshops, garages, warehousing
- Plug Type: Hardwire
- Voltage: 240 V
- 10-5/8" W x 12-1/2" D x 14" H



Model No.	Motor Type	BTU/H Rating	Amperage
		Min. Max.	Min. Max.
EA532	Open	8530 17 060	10.41 A 20.83 A

OIL FILLED HEATER

- 7-fin, oil-filled heater
- Three heat settings provide full comfort and efficient operation
- Adjustable thermostat
- Built-in over heating protection
- Tip-over safety protection
- Min. BTU Rating: 2048 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Voltage: 120 V
- Min. Wattage: 600 W
- Max. Wattage 1500 W
- Amperage: 5 A/12.5 A



Model No. EA612

HEAVY-DUTY TILTED HEATER

- Industrial finger proof steel intake/discharge grills
- Durable metal construction with enclosed motor
- One-speed fan only function
- Built-in over heating protection
- Air flow direction adjustable from 10°-50°
- Adjustable thermostat
- Energy-saving
- Convenient carrying handle
- Forced-air heater function
- Safety shutoff function
- Max. BTU Rating: 19 107 BTU/H •
- Max. Temperature: 100°F
- Type: Ceramic
- Voltage: 240 V
- Amperage: 23.3 A
- Wattage: 5600 W
- Cord Length: 6'



ModelNo. EB021

PORTABLE SALAMANDER HEATER

- Manufactured for long lasting, this portable heater for warehouses, factories, garages, construction sites, pavilions and other open areas, raise temperature to the desired level gradually for worksite comfort
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Overheat protection
- Easy to move to different areas of the site
- Variable speed setting, fan forced
- Max. BTU Rating: 34121 BTU/H
- Fan Motor Type: Enclosed air over, Ball bearing
- Type: Contractor
- Voltage: 240 V
- Wattage: 10 080 W



Model No. EA786

Submit your orders to:
sales@sgfssupplies.ca
Phone: 647-325-2712



**SGFS COMMERCIAL
SUPPLIES**

Janitorial Equipment & Supplies



EARLY WINTER BUY



SGFS COMMERCIAL
SUPPLIES

Janitorial Equipment & Supplies



WINTER LINERS

- Winter liners give you added protection in cold conditions or on windy days
- Can be worn with caps, hats, welding helmets, hard hats or alone
- Flame resistant outer shell
- One size fits all
- **SAJ553:** Single twill layer with napped inside
- **SGU852:** Twill outer layer
- **SGU851:** Twill outer layer and full neck flap

Mild Cold
SAJ553



Moderate Cold
SGU852



Severe Cold
SGU851



Model No.	Lining Material	Type
SAJ553	Unlined	Mild Cold
SGU852	Poly-Cotton	Moderate Cold
SGU851	Sheep	Severe Cold

KNIT HATS WITH REFLECTIVE STRIPE

- Silver reflective stripe woven into the hat
- Material: Acrylic
- One size fits all



SGJ105



SGI135

Model No.	Colour
SGI135	High Visibility Orange
SGJ105	Black

FLEECE BALACLAVA

- Can be used under hardhats
- Protects the head, face & neck from the harsh elements of winter
- Versatile; can be worn as a balaclava, neck warmer or as a dust mask
- Machine wash & air dry
- One size fits all



Model No. SGJ655

ANTI-SLIP ICE CLEATS

- Special non-slip studs offer excellent traction on ice and snow
- Non-slip flexible ice cleats
- Includes 10 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C
- Traction Material: Steel
- Traction Type: Stud
- Sold per pair




Boot Not Included

Model No.	Size	Fits Shoe Size
SEA004	Medium	5-8
SEA005	Large	8-11
SEA006	X-Large	11-13

HEAVY-DUTY ANTI-SLIP ICE CLEATS

- Hexagonal, non-slip studsoffer excellent traction on ice and snow
- Non-slip heavy duty flexible rubber boot
- Includes 12 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C
- Traction Material: Steel
- Traction Type: Stud
- Sold per pair



Model No.	Size	Fits Shoe Size
SDN085	Medium	5-8
SDN086	Large	8-11
SDN087	X-Large	11-13

ANTI-SLIP SPARK-PROOF ICE CLEATS

- Non-slip studs offer excellent traction on ice and snow
- Includes 10 durable brass spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C
- Non-slip, heavy-duty, flexible rubber boot
- Traction Material: Brass
- Traction Type: Stud
- Sold per pair



Boot Not Included

Model No.	Size	Fits Shoe Size
SGO246	Medium	5-8
SGO247	Large	8-11
SGO248	X-Large	11-13



WATERPROOF 7-IN-1 SAFETY PARKA

- Made from 300-denier PU-coated oxford polyester
- Double-stitched StarTech reflective tape
- 100% waterproof and windproof
- Taped and heat sealed seams
- Standard(s) Met: ANSI/ISEA 107 Class 3, Meets/Exceeds CSA Z96 Class 2 - Level 2
- Lining: Polyester Mesh
- Closure Type: Zipper
- Reflective Tape: 5 cm wide CSA/ANSI Class 2 Tape with 10 cm wide Contrasting Trim, X on Back

Model No.	Size
SHK743	Medium
SHK744	Large
SHK745	X-Large
SHK746	2X-Large
SHK747	3X-Large



BOA LINED SPLIT GRAIN WINTER MITTS

- Fullboa lining provides superior warmth and comfort
- Rugged split cowhide leather construction
- Good abrasion resistance
- One Size
- Sold per pair
- Must be ordered in multiples of 12

Applications: Outdoor recreational activities, railroad maintenance, material handling, equipment and heavy machinery operation, general-purpose and construction

Model No. SGV409



THERMAL GLOVE LINER

- Keep hands warm in cold environments
- Can be used on its own or as a glove liner
- Polyester offers resistance to water absorption, remaining lightweight even when wet
- Ambidextrous
- Size: Large
- Gauge: 13
- Sold per pair
- Must be ordered in multiples of 12



Model No. SGH425

HAND AND TOE WARMERS

- Fits easily inside your pockets, mitts, gloves, boots or shoes
- Single use
- 2 per pack
- Sold in pack of 20 pairs



SGU490



SGO961

Model No.	Description	Hours of Effective Warmth
SGU490	Toe Warmers	6 hrs.
SGO961	Hand Warmers	8 hrs.

BOA-LINED PREMIUM GRAIN LEATHER MITTS

- Fullboa lining provides superior warmth and comfort
- Premium grain cowhide leather has excellent abrasion resistance
- Double-shirred elastic front provides optimal fit
- Suitable for cold weather applications and environments
- Size: Large
- Sold per pair
- Must be ordered in multiples of 12

Applications: Outdoor recreational activities, railroad maintenance, material handling, equipment and heavy machinery operation, general-purpose and construction

Model No. SGF640



THERMAL GLOVE LINER

- Keep hands warm in cold environments
- Can be used on its own or as a glove liner
- Ambidextrous
- Acrylic construction provides increased heat retention
- One size
- Non-Coated
- Gauge: 13
- Cuff Style: Knit
- Sold per pair
- Must be ordered in multiples of 12



Model No. SHJ283



ZX-30° PREMIUM FOAM PVC PALM COATED ACRYLIC LINED GLOVES

- Foam PVC palm coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip
- 15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection
- Exceptional comfort and fit
- Resists abrasions, cuts and punctures
- Sanitized coating inhibits bacteria, minimizes odour development, and promotes freshness
- Meets EN 511 standards for Extreme Cold Protection maintaining flexibility in temperatures up to -50°C
- Sold per pair
- Must be ordered in multiples of 12



SGW876



SGW880



SFQ726

Model No.	Size	Coating Style
SGW876	8	3/4 Dipped
SGW877	9	3/4 Dipped
SGW878	10	3/4 Dipped
SGW879	11	3/4 Dipped
SGW880	8	Full Dip
SGW881	9	Full Dip
SGW882	10	Full Dip
SGW883	11	Full Dip
SFQ726	8	Dipped Palm
SFQ727	9	Dipped Palm
SFQ728	10	Dipped Palm
SFQ729	11	Dipped Palm

Applications:
Cold/outdoor environments, fishing industry, glass/wood handling, construction, general maintenance

HPPE FOAM NITRILE COATED ACRYLIC LINED GLOVES - CUT A4

- Foam nitrile palm coating provides excellent grip in light oil, greasy and wet conditions
- Acrylic lining provides superior warmth and comfort in cold weather applications
- Stretchable seamless HPPE liner
- HPPE (high-performance polyethylene) liner is an extremely strong fibre
- Cut Resistance: ASTM ANSI Level A4
- Gauge: 13
- Sold per pair
- Must be ordered in multiples of 12



Model No.	Size
SGF948	7
SGF949	8
SGF950	9
SGF951	10
SGF952	11

NATURAL RUBBER LATEX FLEECE LINED COATED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Light fleece lining
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Textured coating provides superior wet and dry grip
- Knit wrist provides secure fit
- Sold per pair
- Must be ordered in multiples of 12



Model No.	Size
SAN431	8
SAN432	9
SAN433	10
SAN434	11

Applications:
Glass handling, construction, wood handling, masonry and general maintenance

NATURAL RUBBER LATEX FLEECE LINED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Premium fleece lining
- Resists abrasion, cuts and punctures
- Coating Style: Dipped Palm
- Cuff Style: Knit
- Sold per pair
- Must be ordered in multiples of 12



Model No.	Size
SGV157	Medium
SGV158	Large
SGV159	X-Large
SGV160	2X-Large

Applications:
Glass handling, construction, wood handling, masonry and general maintenance

HIGH VISIBILITY RUBBER LINED GLOVES

- Natural latex palm coating
- 100% acrylic thermal lining offers superior cold protection
- 7-gauge seamless terry knitted and brushed liner
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Uncoated back permits breathability and limits perspiration
- Crinkle finish coating provides superior wet and dry grip
- Accepted for use in Canadian food processing facilities
- Sold per pair
- Must be ordered in multiples of 12



Model No.	Size
SEC797	7
SEC798	8
SEC799	9
SEC800	10
SEC801	11



PVC WINTER LINED GLOVES

- Bright orange PVC with rough finish
- Foam fleece lining offers added warmth
- Resistant to most oils, acids, greases and solvents
- Sold per pair
- Must be ordered in multiples of 12



SDN590

Model No.	Cuff Style
SDN590	Knit Wrist
SDN591	12" Gauntlet
SDN592	Safety Cuff

Applications:
Extreme cold material handling, fabrication, metal handling and construction

GOAT GRAIN STANDARD QUALITY FLEECE-LINED GLOVES

- Standard quality goat grain palm and index leather
- Split cowhide leather back and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Palm and back cotton fleece liner provides added warmth
- Sold per pair
- Must be ordered in multiples of 12



SEE313

Model No.	Size
SEE313	Medium
SEE314	Large
SEE315	X-Large

THINSULATE™ - LINED SPLIT COWHIDE FITTERS GLOVES

- Premium quality
- Good abrasion resistance
- Provides superior warmth
- Good dexterity
- Rubberized safety cuff
- Full leather tipped fingers and knuckle strap
- Lining Weight: 100 g
- Sold per pair
- Must be ordered in multiples of 12



SAP249

Model No.	Size	Colour
SAS500	Ladies	Red/Grey
SAN637	Medium	Yellow/Grey
SAL544*	Large	Yellow/Black
SM609	Large	Red/Black
SAP248	X-Large	Blue/Black
SAP249	2X-Large	Green/Black

Applications:
Extreme cold material handling, fabrication, metal handling and construction

* 40-g lining weight

GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

- Premium quality
- Boa lining provides superior warmth
- Performs better in wet applications than cowhide grain or split leather
- Rubberized safety cuff
- Sold per pair
- Must be ordered in multiples of 12



SAP300

Model No.	Size
SAP300	Large
SDL888	X-Large
SDL889	2X-Large

SPLIT COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Standard quality
- Good abrasion resistance
- Safety cuff
- Full leather-tipped fingers and knuckle strap
- Sold per pair
- Must be ordered in multiples of 12



SD613

Model No.	Size
SD613	Large
SAP299	X-Large

SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium quality
- Provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized safety cuff
- Sold per pair
- Must be ordered in multiples of 12



SD 614

Model No.	Size
SD614	Large
SAP247	X-Large
SDL890	2X-Large

Applications:
Extreme cold material handling, fabrication, metal handling and construction



GRAIN COWHIDE FITTERS COTTON FLEECE-LINED PATCH PALM GLOVES

- Superior abrasion resistance
- Provides moderate warmth
- Excellent comfort and durability
- Resists oil and water well
- Patch palm design
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Sold per pair
- Must be ordered in multiples of 12

Model No.	Size
SR521	Large
SAM023	X-Large
SDL881	2X-Large



SR521

Applications:
Moderate cold material handling,
fabrication, metal handling and
construction

GRAIN COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Standard quality
- Provides excellent warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Sold per pair
- Must be ordered in multiples of 12

Model No.	Size
SM611	Large
SDL891	X-Large



SM611

GRAIN COWHIDE FURNITURE LEATHER COTTON FLEECE-LINED GLOVES

- Smooth grain leather finish
- Full cotton fleece provides moderate warmth
- Resists oil and water
- Durable, tough furniture leather construction
- Patch palm and safety cuff provide added protection
- Size: Large
- Sold per pair
- Must be ordered in multiples of 12

Model No. SEA198



GRAIN PIGSKIN FITTERS COTTON FLEECE-LINED GLOVES

- Standard quality
- Smooth top grain construction
- Good abrasion resistance
- Provides moderate warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Size: Large
- Sold per pair
- Must be ordered in multiples of 12

Model No. SAP295



Applications:
Moderate cold material handling,
fabrication and construction

PREMIUM QUALITY GRAIN PIGSKIN FOAM FLEECE LINED GLOVES

- Fitter glove with shorter driver style cuff
- Premium quality pigskin leather construction
- Superior performance in wet applications
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap
- Full red foam fleece lining provides excellent warmth
- Sold per pair
- Must be ordered in multiples of 12

Model No.	Size
SDL465	Small
SDL021	Medium
SDS860	Large
SDS861	X-Large
SDN053	2X-Large



SDL465

GRAIN FURNITURE LEATHER FITTERS ACRYLIC BOA-LINED GLOVES

- Excellent abrasion resistance
- Provides superior warmth
- Resists oil and water well
- Patch palm design
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap
- Smooth grain leather finish
- Sold per pair
- Must be ordered in multiples of 12

Model No.	Size
SAP290	Large
SDL886	X-Large
SDL887	2X-Large



SAP290



THINSULATE™-LINED GRAIN PIGSKIN FITTERS GLOVES

- Premium quality
- Good abrasion resistance
- Provides superior warmth
- Superior comfort and breathability
- Performs well in wet applications
- Good dexterity
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- 100-g Thinsulate™ lining
- Sold per pair
- Must be ordered in multiples of 12



SM615

Applications:
Extreme cold material handling, fabrication, metal handling and construction

Model No.	Size
SM615	Large
SAP251	X-Large
SDL892	2X-Large

THINSULATE™ LINED GRAIN COWHIDE FITTERS GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Provides good dexterity
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- Sold per pair
- Must be ordered in multiples of 12



SEH040

Applications:
Extreme cold material handling, fabrication, metal handling and construction

Model No.	Size	Quality
SEH040	Large	Standard
SEI642 *	Large	Standard
SAS501	Ladies	Premium
SM613	Large	Premium
SAP246	X-Large	Premium
SDL885	2X-Large	Premium

* Patch Palm, 40-g Thinsulate™

GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Standard quality
- Full cotton fleece lining
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Rubberized safety cuff
- Full leather tipped fingers and knuckle strap
- Sold per pair
- Must be ordered in multiples of 12



SM610

Applications:
Extreme cold material handling, fabrication, metal handling and construction

Model No.	Size
S M 610	Ladies
SD605	Large
SEF236 *	Large
SAP245	X-Large

* GauntletCuff

SPLIT COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium quality
- Provides excellent warmth
- Good abrasion resistance
- Rubberized cuff
- Full leather tipped fingers and knuckle strap
- Sold per pair
- Must be ordered in multiples of 12



SAP240

Applications:
Moderate/Extreme cold material handling, fabrication, metal handling and construction

Model No.	Size
SAP240	Medium
SAP241	Large
SAP242	X-Large
SDL884	2X-Large

GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- Sold per pair
- **Must be ordered in multiples of 12**



SEI681

Model No.	Size
STANDARD QUALITY	
SEI681 *	Large
PREMIUM QUALITY	
SAO053	Large
SDL882	X-Large
SDL883	2X-Large

* PatchPalm

GRAIN COWHIDE LEATHER FLEECE-LINED GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- 2-1/2" elastic cuff eliminates dirt and debris from entering the glove
- Sold per pair
- Must be ordered in multiples of 12



SEB613

Model No.	Size
SEH145	Medium
SEB613	Large



PREMIUM QUALITY HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™ -LINED GLOVES

- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Sold per pair
- Must be ordered in multiples of 12



SEK238

Model No.	Size	Colour
SED161	Large	Yellow
SEK238	Large	Orange

PREMIUM QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ -LINED GLOVES

- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff
- Size: Large
- Sold per pair
- Must be ordered in multiples of 12



SED428

Model No.	Colour
SED428	Yellow
SEK237	Orange

GRAIN COWHIDE DRIVERS & ROPERS FLEECE LINED GLOVES

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
- Drivers' style comes with elastic wrist
- Ropers' style comes with adjustable strap with snap
- Sold per pair
- Must be ordered in multiples of 12

Model No.	Size	Style
SM616	Small	Drivers
SM617	Medium	Drivers
SM618	Large	Drivers
SM619	X-Large	Drivers
SAP250	2X-Large	Drivers
SAP215	Small	Ropers
SAP216	Medium	Ropers
SAP217	Large	Ropers
SAP218	X-Large	Ropers



Drivers



Ropers

PREMIUM GRAIN COWHIDE DRIVERS & ROPERS FLEECE-LINED GLOVES

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
- Drivers' style comes with elastic wrist
- Ropers' style comes with adjustable strap with snap
- Sold per pair
- Must be ordered in multiples of 12

Model No.	Size	Style
SFV195	Small	Drivers
SFV196	Medium	Drivers
SFV197	Large	Drivers
SFV198	X-Large	Drivers
SFV187	Small	Ropers
SFV188	Medium	Ropers
SFV189	Large	Ropers
SFV190	X-Large	Ropers



Drivers



Ropers

Submit your orders to:
sales@sgfssupplies.ca
Phone: 647-325-2712



**SGFS COMMERCIAL
SUPPLIES**

Janitorial Equipment & Supplies

